## PATIENT FOCUSED Improve Communication. Reduce Medical Errors.

Enhancing Healthcare Facilities

## PATIENT FOCUSED

### SIGNAGE

Improve Communication. Reduce Medical Errors.



Our Patient Focused signage, with custom communicative icons, helps provide superior patient care by enhancing hospital staff communication and reducing safety risks. We offer ADA compliant patient room identification signage that unites vital patient information as well as Isolation and Precaution Inserts. These signs are perfect for hospital patient rooms, hospital exam rooms, resident rooms in critical care facilities and additional healthcare locations.

Like our other interior signage lines, our Patient Focused Signage can be customized to any healthcare facility's requirements and preferences. Choose from our extruded aluminum frame or acrylic Patient Focused Signage options, both lines offer multiple size, profile and tab color options.

Our patient room signs feature informative pull tabs that house easily changeable, printed paper insert icon graphics that are protected by a non-glare lens. The tabs are available in 12 different colors and can be configured to accommodate wall space availability. Healthcare facilities can choose from our standard medical icon library, or provide their own custom communicative medical symbols/icons to be printed on the paper inserts. Our healthcare signage experts can help assist you in designing the ideal Patient Focused signage system that will perform best for your specific healthcare facility requirements.

Patient Focused Signage, in conjunction with ADA compliant Grade 2 Braille and tactile copy, can double as a patient room identification sign and an informative tool for the healthcare staff. Placed inside the patient's room, our Patient Focused Signs can be utilized by healthcare staff members to convey vital patient information to one another, the patient and/or visitors. Our paper insert capabilities make updating sign information fast and easy. With so many design and substrate options, our Patient Focused Signage possibilities are infinite.

#### Patient Focused Signage Features:

#### ADA Compliancy

both our HID aluminum frame system and custom acrylic signage have raised tactile copy and Grade 2 Braille capabilities

#### Variety of Styles

choose from our signature HID aluminum frame paper insert signage system or acrylic signage options

#### **Customizable Dividers**

consolidate certain regulatory messages using our rubber dividers

#### **Complementary Decor Options**

with multiple color and substrate options available, we can customize the look of any interior sign to accompany any interior environment

#### **Multiple Configurations**

select your pull tab size (standard or mini), number of desired tabs and color from our standard size and configuration chart

#### Full Medical Icon Library

choose medical icons from our extensive list of standards or have us design custom icons to suit your medical facility's specific needs

#### **Accessory Options**

add additional functionality to your Patient Focused Signage by incorporating magnet, dry erase, and/or cork board material


#### Tabs That Fit Your Message

First choose your tab size and color for from the chart below.

The standard tab offers a rectangular visual opening (vo) easily allowing for messages that incorporate both images/icons and copy.

The mini tab provides a square vo perfect for quickreference icons and other snap-shot messages.

**Standard 2.125" H x 5.25" W** Paper Insert = 2" H x 3.5" W **Mini 2.125" H x 4" W** Paper Insert = 2" H x 2" W



#### Paper Insert Icon Messages Medical icon messages update with ease using removable lens and paper insert system. Taking Safety A HOWARD INDUSTRIES **Step Further** PATIENT FOCUSED Utilize the HID or acrylic sign face GNAGE S paper insert area for precautionary warnings and/or

isolation notices.

#### **Standard Tab Colors**

Black (Black 6 C)	Yellow (PMS #109 C)	<b>Orange</b> (PMS #1595 C)
<b>Teal</b> (PMS #323 C)	<b>Grey</b> (Cool Gray 9 C)	<b>Red</b> (PMS #187 C)
Bright Green (PMS #347 C)	Bright White	Burgundy (PMS #1817 C)
<b>Blue</b> (PMS #301 C)	Passion Pink (PMS #674 C)	Medium Brown (PMS #7518 C)

\*Colors may not be exact as shown, due to printer and screen limitations. The Pantone Matching System (PMS) is a system shared worldwide by the graphic arts industry and refers to printed colors. Colors displayed are intended to show APPROXIMATE color of finish and should be used as a reference guide only.

#### Securing Tabs

Our tabs snap firmly into place when open to avoid accidental hallway traffic interference.

M-1	S-1L Droplet Isolation	S-1R Droplet Isolation	M-11	S-11L Plant Allergy	S-11R Plant Allergy	M-21	S-21L <b>Airborne</b> Isolation	S-21R Airborne
M-2	S-2L	S-2R Caution Oxygen	M-12	S-12L	S-12R	M-22	S-22L Contact Precautions	S-22R Contact Precautions
M-3	S-3L	S-3R Fall Risk 🏂	M-13	S-13L No Venipuncture in Right Arm	S-13R Venipuncture in Right Arm	M-23	S-23L Mask and Gown Required	S-23R Mask and Gown Required
npo	S-4L Nothing by Mouth	S-4R Nothing by <b>npo</b> Mouth	M-14	S-14L No Venipuncture in Left Arm	S-14R Venipuncture in Left Arm	M-24	S-24L Seizure Precautions	S-24R Seizure Precautions
M-5	S-5L	S-5R DNR	M-15	S-15L Sight Impaired	S-15R Sight Impaired	M-25	S-25L Neutropenio Precautions	S-25R Neutropenic Precautions
M-6	S-6L	S-6R Latex Allergy	M-16	S-16L Stearing Impaired	S-16R Hearing Impaired	M-26	S-26L Wash Hands Before Entering	S-26R Wash Hands Before Entering
M-7	S-7L Not Allowed Ambulate	S-7R Allowed to Ambulate	M-17	S-17L Mother with Child	S-17R Mother with Child	M-27	S-27L Do Not Disturb	S-27R Do Not Disturb
M-8	S-8L Medicine Allergy	S-8R Medicine Allergy	M-18	S-18L Pregnant Patient	S-18R Pregnant Patient	M-28	S-28L No Visitors	S-28R No Visitors
M-9	S-9L Food Allergy	S-9R Food Allergy	M-19	S-19L	S-19R Interpreter Required	M-29	S-29L	S-29R See
M-10	S-10L Fluid Restriction	S-10R Fluid Restriction	M-20	S-20L Airborne Isolation (N95)	S-20R Airborne Isolation (N95)	M-30	S-30L Patient at Test	S-30R Patient at Test



## Important information to take into consideration when choosing your Patient Focused Signage


# <complex-block>



#### Minimum Wall Clearance


When deciding on the right Patient Focused Signage units for your facility, be certain to take into consideration the alloted wall space available for signage placement. You may encounter instances where wall space is limited and will need to adjust accordingly.

Your sales representative can assist you with this process; if you have questions, simply ask, we are here to help!




#### HID Flat Profile Signage 6 Inch Standard

#### STANDARD TABS FINGOOD: HIDPF-F608-3 MINIMUM WALL CLEARANCE: 11.5"




DOUBLE SIDED STANDARD TABS NOT AVAILABLE MINI TABS FINGOOD: HIDPF-F608-3 MINIMUM WALL CLEARANCE: 10.5"



MINI TABS FINGOOD: HIDPF-F608-6 MINIMUM WALL CLEARANCE: 14.5"



#### STANDARD TABS FINGOOD: HIDPF-F611-4 MINIMUM WALL CLEARANCE: 11.5"



DOUBLE SIDED STANDARD TABS NOT AVAILABLE MINI TABS FINGOOD: HIDPF-F611-4 MINIMUM WALL CLEARANCE: 10.5"




MINI TABS FINGOOD: HIDPF-F611-8 MINIMUM WALL CLEARANCE: 14.5"




#### HID Flat Profile Signage 6 Inch Standard

#### STANDARD TABS FINGOOD: HIDPF-F613-5 MINIMUM WALL CLEARANCE: 11.5"



DOUBLE SIDED STANDARD TABS NOT AVAILABLE MINI TABS FINGOOD: HIDPF-F613-5 MINIMUM WALL CLEARANCE: 10.5"



MINI TABS FINGOOD: HIDPF-F613-10 MINIMUM WALL CLEARANCE: 14.5"



#### STANDARD TABS FINGOOD: HIDPF-F616-6 MINIMUM WALL CLEARANCE: 11.5"



DOUBLE SIDED STANDARD TABS NOT AVAILABLE MINI TABS FINGOOD: HIDPF-F616-6 MINIMUM WALL CLEARANCE: 10.5"



MINI TABS FINGOOD: HIDPF-F616-12 MINIMUM WALL CLEARANCE: 14.5"




#### HID Flat Profile Signage with Header 6 Inch Standard



MINI TABS FINGOOD: HIDPFH-F608-4 MINIMUM WALL CLEARANCE: 14.5"



#### STANDARD TABS FINGOOD: HIDPFH-F611-3 MINIMUM WALL CLEARANCE: 11.5"



DOUBLE SIDED STANDARD TABS NOT AVAILABLE MINI TABS FINGOOD: HIDPFH-F611-3 MINIMUM WALL CLEARANCE: 10.5"




MINI TABS FINGOOD: HIDPFH-F611-6 MINIMUM WALL CLEARANCE: 14.5"




#### HID Flat Profile Signage with Header 6 Inch Standard

#### STANDARD TABS FINGOOD: HIDPF-F613-4 MINIMUM WALL CLEARANCE: 11.5"

DOUBLE SIDED STANDARD TABS NOT AVAILABLE MINI TABS FINGOOD: HIDPF-F613-4 MINIMUM WALL CLEARANCE: 10.5"



MINI TABS FINGOOD: HIDPF-F613-8 MINIMUM WALL CLEARANCE: 14.5"



#### STANDARD TABS FINGOOD: HIDPF-F616-5 MINIMUM WALL CLEARANCE: 11.5"



DOUBLE SIDED STANDARD TABS NOT AVAILABLE

#### MINI TABS FINGOOD: HIDPF-F616-5 MINIMUM WALL CLEARANCE: 10.5"



MINI TABS FINGOOD: HIDPF-F616-10 MINIMUM WALL CLEARANCE: 14.5"



#### HID Radius Profile Signage 6 Inch Standard





DOUBLE SIDED STANDARD TABS NOT AVAILABLE MINI TABS FINGOOD: HIDPF-R608-3 MINIMUM WALL CLEARANCE: 10.5"



MINI TABS FINGOOD: HIDPF-R608-6 MINIMUM WALL CLEARANCE: 14.5"



#### STANDARD TABS FINGOOD: HIDPF-R611-4 MINIMUM WALL CLEARANCE: 11.5"



DOUBLE SIDED STANDARD TABS NOT AVAILABLE MINI TABS FINGOOD: HIDPR-F611-4 MINIMUM WALL CLEARANCE: 10.5"



MINI TABS FINGOOD: HIDPF-R611-8 MINIMUM WALL CLEARANCE: 14.5"




#### HID Radius Profile Signage 6 Inch Standard

#### STANDARD TABS FINGOOD: HIDPF-R613-5 MINIMUM WALL CLEARANCE: 11.5"



DOUBLE SIDED STANDARD TABS NOT AVAILABLE MINI TABS FINGOOD: HIDPF-R613-5 MINIMUM WALL CLEARANCE: 10.5"



MINI TABS FINGOOD: HIDPF-R613-10 MINIMUM WALL CLEARANCE: 14.5"



#### STANDARD TABS FINGOOD: HIDPF-R616-6 MINIMUM WALL CLEARANCE: 11.5"



DOUBLE SIDED STANDARD TABS NOT AVAILABLE MINI TABS FINGOOD: HIDPF-R616-6 MINIMUM WALL CLEARANCE: 10.5"




MINI TABS FINGOOD: HIDPF-R616-12 MINIMUM WALL CLEARANCE: 14.5"



#### HID Radius Profile Signage with Header 6 Inch Standard




MINI TABS FINGOOD: HIDPFH-R608-3 MINIMUM WALL CLEARANCE: 10.5"



MINI TABS FINGOOD: HIDPFH-R608-6 MINIMUM WALL CLEARANCE: 14.5"



#### STANDARD TABS FINGOOD: HIDPFH-R611-4 MINIMUM WALL CLEARANCE: 11.5"



DOUBLE SIDED STANDARD TABS NOT AVAILABLE MINI TABS FINGOOD: HIDPFH-R611-4 MINIMUM WALL CLEARANCE: 10.5"



MINI TABS FINGOOD: HIDPFH-R611-8 MINIMUM WALL CLEARANCE: 14.5"



#### HID Radius Profile Signage with Header 6 Inch Standard



DOUBLE SIDED STANDARD TABS NOT AVAILABLE MINI TABS FINGOOD: HIDPF-R613-4 MINIMUM WALL CLEARANCE: 10.5"



MINI TABS FINGOOD: HIDPF-R613-8 MINIMUM WALL CLEARANCE: 14.5"



#### STANDARD TABS FINGOOD: HIDPF-R616-5 MINIMUM WALL CLEARANCE: 11.5"



DOUBLE SIDED STANDARD TABS NOT AVAILABLE MINI TABS FINGOOD: HIDPF-R616-5 MINIMUM WALL CLEARANCE: 10.5"




MINI TABS FINGOOD: HIDPF-R616-10 MINIMUM WALL CLEARANCE: 14.5"




#### HID Flat Profile Signage




STANDARD TABS FINGOOD: HIDPF-F858-6 MINIMUM WALL CLEARANCE: 19"




MINI TABS FINGOOD: HIDPF-F858-3 MINIMUM WALL CLEARANCE: 13"



MINI TABS FINGOOD: HIDPF-F858-6 MINIMUM WALL CLEARANCE: 17"




#### STANDARD TABS FINGOOD: HIDPF-F8511-4 MINIMUM WALL CLEARANCE: 14"




STANDARD TABS FINGOOD: HIDPF-F8511-8 MINIMUM WALL CLEARANCE: 19"



MINI TABS FINGOOD: HIDPF-F8511-4 MINIMUM WALL CLEARANCE: 13"



MINI TABS FINGOOD: HIDPF-F8511-8 MINIMUM WALL CLEARANCE: 17"



#### HID Flat Profile Signage




STANDARD TABS FINGOOD: HIDPF-F8513-10 MINIMUM WALL CLEARANCE: 19"



MINI TABS FINGOOD: HIDPF-F8513-5 MINIMUM WALL CLEARANCE: 13"



MINI TABS FINGOOD: HIDPF-F8513-10 MINIMUM WALL CLEARANCE: 17"



STANDARD TABS FINGOOD: HIDPF-F8516-6 MINIMUM WALL CLEARANCE: 14"



STANDARD TABS FINGOOD: HIDPF-F8516-12 MINIMUM WALL CLEARANCE: 19"



MINI TABS FINGOOD: HIDPF-F8516-6 MINIMUM WALL CLEARANCE: 13"



MINI TABS FINGOOD: HIDPF-F8516-12 MINIMUM WALL CLEARANCE: 17"




#### HID Flat Profile Signage with Header


8.5 Inch Standard




MINI TABS FINGOOD: HIDPFH-F858-2 MINIMUM WALL CLEARANCE: 13"




MINI TABS FINGOOD: HIDPFH-F858-4 MINIMUM WALL CLEARANCE: 17"






#### HID Flat Profile Signage with Header


8.5 Inch Standarc




STANDARD TABS FINGOOD: HIDPFH-F8513-8 MINIMUM WALL CLEARANCE: 19"




MINI TABS FINGOOD: HIDPFH-F8513-4 MINIMUM WALL CLEARANCE: 13"



MINI TABS FINGOOD: HIDPFH-F8513-8 MINIMUM WALL CLEARANCE: 17"




#### STANDARD TABS FINGOOD: HIDPFH-F8516-5 MINIMUM WALL CLEARANCE: 14"




STANDARD TABS FINGOOD: HIDPFH-F8516-10 MINIMUM WALL CLEARANCE: 19"



MINI TABS FINGOOD: HIDPFH-F8516-5 MINIMUM WALL CLEARANCE: 13"




#### MINI TABS FINGOOD: HIDPFH-F8516-10 MINIMUM WALL CLEARANCE: 17"




#### **HID Flat Profile Signage**


6 and 8.5 Inch Standard Double Occupancy Units and Letter Paper Pocket Unit



STANDARD TABS FINGOOD: HIDPF-F8524-16 MINIMUM WALL CLEARANCE: 19"



MINI TABS FINGOOD: HIDPF-F8524-16 MINIMUM WALL CLEARANCE: 17"



STANDARD TABS FINGOOD: HIDPF-F8511-8-PH MINIMUM WALL CLEARANCE: 20.5"



#### MINI TABS FINGOOD: HIDPF-F8511-8-PH MINIMUM WALL CLEARANCE: 18.5"



#### HID Radius Profile Signage 8.5 Inch Standard




STANDARD TABS FINGOOD: HIDPF-R858-6 MINIMUM WALL CLEARANCE: 19"



MINI TABS FINGOOD: HIDPF-R858-3 MINIMUM WALL CLEARANCE: 13"



MINI TABS FINGOOD: HIDPF-R858-6 MINIMUM WALL CLEARANCE: 17"



STANDARD TABS FINGOOD: HIDPF-R8511-4 MINIMUM WALL CLEARANCE: 14"



STANDARD TABS FINGOOD: HIDPF-R8511-8 MINIMUM WALL CLEARANCE: 19"



MINI TABS FINGOOD: HIDPF-R8511-4 MINIMUM WALL CLEARANCE: 13"



MINI TABS FINGOOD: HIDPF-R8511-8 MINIMUM WALL CLEARANCE: 17"



#### HID Radius Profile Signage 8.5 Inch Standard



STANDARD TABS FINGOOD: HIDPF-R8513-10 MINIMUM WALL CLEARANCE: 19"



MINI TABS FINGOOD: HIDPF-R8513-5 MINIMUM WALL CLEARANCE: 13"



MINI TABS FINGOOD: HIDPF-R8513-10 MINIMUM WALL CLEARANCE: 17"



#### STANDARD TABS FINGOOD: HIDPF-R8516-6 MINIMUM WALL CLEARANCE: 14"



STANDARD TABS FINGOOD: HIDPF-R8516-6 MINIMUM WALL CLEARANCE: 19"



MINI TABS FINGOOD: HIDPF-R8516-6 MINIMUM WALL CLEARANCE: 13"



MINI TABS FINGOOD: HIDPF-R8516-12 MINIMUM WALL CLEARANCE: 17"



#### HID Radius Profile Signage with Header



STANDARD TABS FINGOOD: HIDPFH-R858-4 MINIMUM WALL CLEARANCE: 19"




MINI TABS FINGOOD: HIDPFH-R858-2 MINIMUM WALL CLEARANCE: 13"



MINI TABS FINGOOD: HIDPFH-R858-4 MINIMUM WALL CLEARANCE: 17"



#### STANDARD TABS FINGOOD: HIDPFH-R8511-3 MINIMUM WALL CLEARANCE: 14"



STANDARD TABS FINGOOD: HIDPFH-R8511-6 MINIMUM WALL CLEARANCE: 19"



MINI TABS FINGOOD: HIDPFH-R8511-3 MINIMUM WALL CLEARANCE: 13"



MINI TABS FINGOOD: HIDPFH-R8511-6 MINIMUM WALL CLEARANCE: 17"




#### HID Radius Profile Signage with Header



STANDARD TABS FINGOOD: HIDPFH-R8513-8 MINIMUM WALL CLEARANCE: 19"



MINI TABS FINGOOD: HIDPFH-R8513-4 MINIMUM WALL CLEARANCE: 13"



MINI TABS FINGOOD: HIDPFH-R8513-8 MINIMUM WALL CLEARANCE: 17"



#### STANDARD TABS FINGOOD: HIDPFH-R8516-5 MINIMUM WALL CLEARANCE: 14"



STANDARD TABS FINGOOD: HIDPFH-R8516-10 MINIMUM WALL CLEARANCE: 19"




MINI TABS FINGOOD: HIDPFH-R8516-5 MINIMUM WALL CLEARANCE: 13"




MINI TABS FINGOOD: HIDPFH-R8516-10 MINIMUM WALL CLEARANCE: 17"



#### HID Radius Profile Signage 6 and 8.5 Inch Standard Tandem Units




MINI TABS FINGOOD: HIDPF-F8524-16 MINIMUM WALL CLEARANCE: 17"




#### Acrylic Signage 6 Inch Standard



DOUBLE SIDED STANDARD TABS NOT AVAILABLE MINI TABS FINGOOD: APF-F608-3 MINIMUM WALL CLEARANCE: 10"




MINI TABS FINGOOD: APF-F608-6 MINIMUM WALL CLEARANCE: 14"




STANDARD TABS		MINI TABS	MINI TABS
FINGOOD: APF-F611-4		FINGOOD: APF-F611-4	FINGOOD: APF-F611-8
MINIMUM WALL CLEARANCE: 11"		MINIMUM WALL CLEARANCE: 10"	MINIMUM WALL CLEARANCE: 14"
	DOUBLE SIDED STANDARD TABS NOT AVAILABLE		

#### Acrylic Signage 6 Inch Standard


#### STANDARD TABS FINGOOD: APF-F613-5 MINIMUM WALL CLEARANCE: 11"



DOUBLE SIDED STANDARD TABS NOT AVAILABLE MINI TABS FINGOOD: APF-F613-5 MINIMUM WALL CLEARANCE: 10"




MINI TABS FINGOOD: APF-F613-10 MINIMUM WALL CLEARANCE: 14"




#### STANDARD TABS FINGOOD: APF-F616-6


MINIMUM WALL CLEARANCE: 11"



DOUBLE SIDED STANDARD TABS NOT AVAILABLE MINI TABS FINGOOD: APF-F616-6 MINIMUM WALL CLEARANCE: 10"




MINI TABS FINGOOD: APF-F616-12 MINIMUM WALL CLEARANCE: 14"





#### Acrylic Signage With Header 6 Inch Standard






STANDARD TABS







DOUBLE SIDED STANDARD TABS NOT AVAILABLE

**MINI TABS** FINGOOD: APFH-F613-4 MINIMUM WALL CLEARANCE: 10"




**MINI TABS** FINGOOD: APFH-F613-8 MINIMUM WALL CLEARANCE: 14"






#### Acrylic Signage 8.5 Inch Standard




STANDARD TABS

FINGOOD: APF-F858-3


STANDARD TABS FINGOOD: APF-F858-6 MINIMUM WALL CLEARANCE: 18.5"




MINI TABS FINGOOD: APF-F858-3 MINIMUM WALL CLEARANCE: 12.5"



MINI TABS FINGOOD: APF-F858-6 MINIMUM WALL CLEARANCE: 16.5"






#### Acrylic Signage 8.5 Inch Standard


STANDARD TABS




STANDARD TABS FINGOOD: APF-F8513-10 MINIMUM WALL CLEARANCE: 18.5"



MINI TABS FINGOOD: APF-F8513-5 MINIMUM WALL CLEARANCE: 12.5"



MINI TABS FINGOOD: APF-F8513-10 MINIMUM WALL CLEARANCE: 16.5"




#### STANDARD TABS FINGOOD: APF-F8516-6 MINIMUM WALL CLEARANCE: 13.5"



STANDARD TABS FINGOOD: APF-F8516-12 MINIMUM WALL CLEARANCE: 18.5"




MINI TABS FINGOOD: APF-F8516-6 MINIMUM WALL CLEARANCE: 12.5"




MINI TABS FINGOOD: APF-F8516-12 MINIMUM WALL CLEARANCE: 16.5"




#### Acrylic Signage with Header



MINIMUM WALL CLEARANCE: 13.5"




MINIMUM WALL CLEARANCE: 18.5"




MINIMUM WALL CLEARANCE: 12.5"

P005


MINIMUM WALL CLEARANCE: 16.5"




#### Acrylic Signage with Header 8.5 Inch Standard



#### STANDARD TABS FINGOOD: APFH-F8516-5 MINIMUM WALL CLEARANCE: 13.5"



STANDARD TABS FINGOOD: APFH-F8516-10 MINIMUM WALL CLEARANCE: 18.5" MINI TABS FINGOOD: APFH-F8516-5 MINIMUM WALL CLEARANCE: 12.5"



MINI TABS FINGOOD: APFH-F8516-10 MINIMUM WALL CLEARANCE: 16.5"



#### Acrylic Signage 6 and 8.5 Inch Standard Double Occupancy L

